



Index

Dishwashers 4, 5
 Disposers 6
 Ranges 6, 7
 Ovens 6, 7
 Sinks 7, 8, 9
 Base Cabinets 10
 Countertops 11
 Wall Cabinets .. 12, 13
 Ventilators 14
 Accessories 14, 15
 FHA Requirements .. 16

A.I.A. File No. 35-C-12

YOUR
CHOICE
OF

WOOD

COPPER

STEEL

American Kitchens

COMPLETE LINE Specifications



American Kitchens
 DIVISION



CONNERSVILLE
 INDIANA

Take your choice of

American Kitchens ...

all steel ... wood and steel ...

wood, copper and steel ...

you get these famous

women-wanted

features!



▲ Sparkling chrome faucet ... finger-tip soda fountain levers ... swing spout ... aerator on the deluxe.

Deluxe sinks have divided cutlery drawer ... hardwood cutting board ... two concealed drawers.







▲ Handy spray on deluxe sinks ... wonderful for rinsing ... washing waste down the disposer.


Concealed drawer pulls ... easy to clean ... comfortable to stand near ... such smooth beauty.

Acid and alkali resistant, fluted drainboard designed to safely drain finest stemware.

Faucet on backsplash eliminates dirt catching backledge ... makes bowl 15% larger.



▲ Concealed door pulls replace inconvenient, old-style "dirt trap" handles. Fast cleaning.




Cut-away view of countertop shows vinyl bonded to steel ... seamless, strong, smooth.

All American Kitchens units are treated with Bonderite for rust resistance and a beautiful, lasting finish.




THE COMPLETE *American Kitchens* LINE

DISHWASHERS



48"




24"

DISPOSERS



MSD-26



MSD-36A




A Complete Line . . . Products of Quality

With American Kitchens new "Pioneer" line or the regular white, all-steel line . . . American Kitchens are tops in quality, efficiency, convenience, and beauty. Priced very competitively, too! With styles and sizes to fit any kitchen, the products shown on this page are made in many models. From the complete choice of sizes and models described later, you may design all white steel kitchens, natural Birch and steel kitchens, or natural Birch, antique copper, and steel kitchens.


SINKS




66"



54"




48"



42"

BASE CORNER UNITS



BASE CABINETS




15"




18"



21"



24"



27"



30"



36"

BASE FILLER UNITS



1"



1 1/2"



2"



2 1/2"



3"



6"



9"




12"




12"

RANGE AND OVEN UNITS



24" Range Top




24" Oven Base

SPECIAL PURPOSE UNITS



21"



21"



25"

19"



81"

21"

WALL FILLERS

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"

2 1/2"

3"

30"

18"

1"

1 1/2"

2"


2 1/2"




American Kitchens

ROTO-TRAY


Available in a wide choice of models, the American Kitchens Roto-Tray Dishwasher ends dishwashing drudgery forever. Dishwashers are available with either pump or gravity drains and in either white or antique copper



DRAIN PIPE MAY ENTER FLOOR ANYPLACE WITHIN SHADED AREA




GRAVITY DRAIN




PUMP DRAIN

DISPOSER INSTALLATION

Disposer can be used with any model, even pump drain units. (Drain empties into American Kitchens Disposer . . . meeting codes.)



SIDE



SIDE



DISHWASHER-SINK

DW-48AA (white, gravity drain), DW-481P (white; pump drain), DW-48-W (white with wood sink compartment doors, gravity drain), DW-481-W (white with wood sink compartment doors, pump drain), DW-48-WC (Antique copper with wood sink compartment doors, gravity drain), DW-481-WC (Antique copper with wood sink compartment doors, pump drain) . . . all 48" wide. Fluted drainboard has 3 sq. ft. of work surface. Deluxe faucet with spray and aerator . . . double door storage compartment . . . 2 lined ft. of shelves.



UNDER-COUNTER MODEL

DW-24UA (white steel) and DW-24-C (copper . . . no wood) are 24" wide. For pump drains, add DP-100 pump kit. Fits under American Kitchens and all other standard tops. No vent required. No cuts in tops necessary. All models have 34 minute cycle. Turn off automatically.

PLUMBING CONNECTIONS

Water inlets are 3/8" pipe thread. Drains fit 1 1/2" traps (traps not included). Operates on 20-120 pound water pressure. Dishwasher has vacuum break air gap on inlet and pump discharge.

ELECTRICAL CONNECTIONS

115 volt, 60 cycle, AC . . . with a rated load of 15.0 amps. Should be wired to separate circuit of 20 amps (25 amps if disposer used). Connect with BX or equivalent cable in accordance with local codes.

MOTOR DATA

Horsepower	1/3
Cycles	60
Volts	115
Amperes	6.1

DISHWASHERS


plated finishes. All models feature American Kitchens exclusive Roto-Tray, a revolving top tray which solves the old water starved area problem that plagues old style, fixed tray machines. The Roto-Tray carries every object

in it through the steaming, swirling sprays of super heated water. It assures that every surface of every dish is washed hygienically clean. Acclaimed by independent testing laboratories to be the best!



FLAT FRONT UNDER-COUNTER MODEL

DWF-2401 (white steel) and DWF-2401-C (copper . . . no wood) are 24" wide. These models are designed for use with flat front cabinets which do not have American Kitchens contours. Pump kit, DP-100 may be added for pump drain. Units fit under any standard countertop . . . without vents.





FREE-STANDING MODEL

Use either white or copper under-counter model and add white accessory porcelain top, LX-168, to produce 24" wide free-standing model. Accessory tops, LX-168 are acid and alkali resistant. If pump drain is wanted, add DP-100 pump kit. All American Kitchens dishwashers have big 56 piece capacity.

DOOR OPENING

All models are front opening for extra loading convenience and to give top work surface. Door requires only 18" in front of machine to open.



REAL TIME SAVER . . . LOADS IN A JIFFY

Easy and fast to load. Bottom rack rolls out on open door. Roto-Tray pulls out independently and revolves like a lazy susan.




REMOVES LIPSTICK, DRIED EGG

Roto-Tray washes cleaner. Here's why:



THIS

Dishes carried through and out of water starved areas



NOT THIS

Dishes remain stationary and unwashed in water starved areas



WATER CONSUMPTION

The complete cycle including prerinse, 10 minute wash, and triple post-wash rinses takes only 6.3 gallons of water . . . all hot. Cycle may be interrupted to add dish without losing water.

TRAYS AND TUB

Trays coated with red vinyl that will never get soft, sticky, or mar even finest china. Both trays slide independently and are removable. Dishwasher tub and inner door are acid and alkali resistant porcelain.

ONE YEAR WARRANTY

against materials and workmanship

APPROX. SHIPPING WEIGHTS

DW-48AA . . . 262 lbs.	DW-481P . . . 270 lbs.
DW-48-WWC 259 lbs.	DW-481-WWC 267 lbs.
DW-24UCA . . 161 lbs.	DW-24-C . . . 161 lbs.

DISPOSERS

American Kitchens

DISPOSERS

SAFE, QUIET, FAST . . . TWO MODELS TO FIT YOUR NEEDS



**MODEL MSD-36A DELUXE,
SAFETY COVER MODEL**

This big, powerful unit features a safety cover switch . . . unit can be activated only when cover is inserted in disposer mouth and twisted. Not even a child could be hurt! Big $\frac{1}{3}$ h.p. capacitor type motor with automatic thermal overload protector. Operates on 60 cycle and 115 volts (6 amps.). Mounted in rubber. Balanced forged impeller gives quiet vibration free operation. Special alloy cutting ring liquefies even bones in seconds. Shipping weight, 36 lbs.

**MODEL MSD-26,
CONTINUOUS FEED DISPOSER.**

A terrific buy on an outstanding disposer . . . low price plus top quality and performance. Powerful $\frac{1}{4}$ h.p. capacitor type motor, balanced impeller, specially hardened alloy cutting ring all combine to give vibration free, efficient operation. Mounted in rubber—it's quiet. Manual reset overload protector, permanently lubricated bearings. Operates on 60 cycle, 115 volt power (5.8 amps.). Shipping weight 33 lbs.



INSTALLATION INFORMATION




scrape
the waste



cover on . .
waste gone

Safety cover switch is so convenient . . . absolutely safe! Remove cover, scrape in up to two quarts of waste. Turn on the cold water, place the cover in position, twist . . . zip, the waste is gone!



Wall waste
connection
using "Hi-Boy"
or "P" trap

Both disposers install the same . . . fit any sink with drain opening of $3\frac{1}{2}$ " to 4". Sink flange assembly installs in sink, then disposer quickly and easily bolts to the sink flange. For easy drain hook-up, disposer discharge pipe will rotate 360°. Trap connections shown at left. (Check local codes.) For flow interlock, order LX-130.



Floor waste
connection
using "S" trap

RANGES

American Kitchens

RANGES



AND OVENS

SINKS

AND OVENS

GAS OR ELECTRIC . . .

DELUXE OR STANDARD . . .

WHITE OR COPPERTONE . . .

A Model To Fit Your Needs

RANGE UNITS

American Kitchens built-in range units are available in gas or electric models, deluxe or standard models, and in your choice of white or coppertone porcelain. All models are 24" wide.

Ranges feature 4 cooking units. Electric controls are on the backsplash. Gas controls are on the front panel. Cooking units may be easily removed for cleaning. Gas range has automatic pilot light.

Range units have famous American Kitchens contour to match other American Kitchens units. Ranges mount on 24" base cabinets. Base cabinet's top drawer is usable with the electric unit.

For range top rough-ins and other specifications, see your local American Kitchens distributor.

OVEN UNITS

American Kitchens oven units are 24" wide. They are available in gas or electric, deluxe or standard, white or coppertone porcelain.

All oven units can be used for broiling as well as baking.

Both the baking and broiling elements or burners, as the case may be, can be removed for cleaning.

Deluxe units have glass in the oven doors, as well as a concealed oven light. Deluxe units feature automatic controls in both gas and electric. Oven may be set to come on at certain time, cook for predetermined period, turn off automatically. Standard ovens are equipped with "minute minders."

All ovens have temperature controls for 0° to 550°. All models may be either built into a wall or used as a stack-on unit. When used as stack-on unit, use special 24" oven base cabinet, LOB-24B (add "W" to model number for wood doors). Wall cabinet, 18" high, can be used over stack-on oven.

For rough-ins and other specifications, see your American Kitchens distributor.



American Kitchens

66" SINKS

The largest, most convenient sink in the line . . . available in 6 models. Features twin bowls and double drainboards . . . each bowl 15" x 19 3/8" x 7". Four doors, the outside ones are 15" wide . . . middle doors 18". Roomy shelves . . . top shelf has 10" clearance, bottom 11 1/4". Drawers measure 4" x 11" x 20".




DELUXE 66" SINKS

LS-6600-WC (wood doors, copper drawer fronts . . . top illustration), LS-6600-W (wood doors and white drawer fronts . . . middle illustration), LS-6600 (white, all steel) . . . all feature deluxe faucet with handy spray and aerator, soap basket on left middle door, hardwood cutting board. (Other details in chart below.)


ECONOMY 66" SINKS

ES-6600-WC (wood doors, copper drawer fronts), ES-6600-W (wood doors, white drawer fronts), ES-6600 (white, all steel . . . bottom illustration) . . . offer real values. Chrome faucet has swing spout, finger tip levers. Big 4 door undersink storage compartment. (Other details below in chart.)

Model	Sq. ft. of work surface	Lineal ft. of shelf space	No. of drawers	No. of removable shelves	Approx. shipping weight
LS-6600-WC	4.0	6' 7"	4	1	256
LS-6600-W					256
LS-6600					264
ES-6600-WC	4.0	7' 6"	2	2	225
ES-6600-W					225
ES-6600					233



USING AMERICAN KITCHENS DISPOSER



WOOD

American Kitchens


54" SINKS

COPPER

STEEL

48" SINKS

The most popular sink in the line . . . available in 6 models. For maximum efficiency, twin drainboards on each side of large 20" x 19 $\frac{3}{8}$ " x 7" bowl. Four doors, outside ones are 15" wide . . . middle ones 12" . . . all 24 $\frac{1}{4}$ " high. Shelf spacing allows 11 $\frac{1}{4}$ " clearance for bottom, 10" for top. Drawers are 4" x 11" x 20".



DELUXE 54" SINKS

LS-5400-WC (wood doors, copper drawer fronts . . . shown at top), LS-5400-W (wood doors, white drawer fronts . . . shown in middle), LS-5400 (white, all steel) . . . have deluxe chrome faucet with aerator and handy spray. Also features soap basket on left middle door, hardwood cutting board. (See chart below for other details.)




ECONOMY 54" SINKS


ES-5400-WC (wood doors, copper drawer fronts), ES-5400-W (wood doors, white drawer fronts), ES-5400 (white, all steel . . . shown at bottom) . . . all bargain priced. Economy faucet features swing spout, finger-tip levers. Plenty of room in 4 door storage compartment. (Details in chart below.)



Model	Sq. ft. of work surface	Lineal ft. of shelf space	No. of drawers	No. of removable shelves	Approx. shipping weight
LS-5400-WC	4.0	5' 7"	4	1	229
LS-5400-W					229
LS-5400					235
ES-5400-WC	4.0	6' 6"	2	2	193
ES-5400-W					193
ES-5400					199



This sink and tub unit is so handy for laundry or doing dishes. Two bowls, one extra deep is 12", the other 8". Both measure 21 $\frac{1}{8}$ " x 17 $\frac{3}{8}$ ". Sliding porcelain drainboard is also removable. Three doors, middle one 18" wide, others 15". Shelf clearance is 11 $\frac{1}{4}$ " for bottom, 10" for top. Drawers measure 4" x 11" x 20".



DELUXE 48" SINKS

LST-4800-WC (wood doors, copper upper panels . . . top illustration), LST-4800-W (wood doors, white upper panels . . . middle illustration), LST-4800 (white, all steel) . . . all feature deluxe faucet with spray and aerator, soap basket on middle door, hardwood cutting board. (Other details in chart below.)




ECONOMY 48" SINKS

EST-4800-WC (wood doors, copper upper panels), EST-4800-W (wood doors, white upper panels), EST-4800 (white, all steel . . . bottom illustration) . . . all are real values. Chrome faucet has swing spout, finger-tip levers. Lots of room in the spacious 3 door storage compartment. (Other details in chart below.)




Model	Sq. ft. of work surface	Lineal ft. of shelf space	No. of drawers	No. of removable shelves	Approx. shipping weight
LST-4800-WC	3.1	4' 0"	2	0	207
LST-4800-W					207
LST-4800					212
EST-4800-WC	3.1	5' 0"	0	1	180
EST-4800-W					180
EST-4800					185



42" SINKS

There are 18 models of 42" sinks to choose from. They are single bowl, single drainboard sinks—made in both right and left hand models (C, R or L determined by position of drainboard). Sink bowls are 20" x 19 $\frac{3}{8}$ " x 7". Shelves have 11 $\frac{1}{4}$ " and 10" clearance for bottom and top shelves, respectively. Drawers are 4" x 11" x 20".



DELUXE 42" SINKS

LS-4200-WC (wood doors, copper drawer fronts . . . shown at top), LS-4200-W (wood doors, white drawer fronts), LS-4200 (white, all steel) . . . have deluxe faucet with spray, aerator, soap basket, cutting board. Doors measure 15", 12", 15". (Other details in chart.) Add R or L to model number for right or left drainboard.


ECONOMY 42" SINKS

ES-4200-WC (wood doors, copper drawer fronts), ES-4200-W (wood doors, white drawer fronts . . . shown in middle), ES-4200 (white, all steel) . . . with economy faucet, 3 door storage compartments with door 15", 12", 15" wide. (See chart for other details.) Add R or L to model number for right or left drainboard.

SPECIAL 42" SINKS

SS-4200-WC (wood doors, copper upper panels), SS-4200-W (wood doors, white upper panels), SS-4200 (white, all steel . . . bottom illustration) . . . with economy faucet, two 21" doors. (See chart below). Add R or L to model number for drainboard location.

Model	Sq. ft. of work surface	Lineal ft. of shelf space	No. of drawers	No. of removable shelves	Approx. shipping weight
LS-4200-W&WC R/L	2.5	3' 6"	3	0	181
LS-4200 R/L	2.5	3' 6"	3	0	185
ES-4200-W&WC R/L	2.5	4' 6"	1	1	156
ES-4200 R/L	2.5	4' 6"	1	1	160
SS-4200-W&WC R/L	2.5	3' 6"	0	0	143
SS-4200 R/L	2.5	3' 6"	0	0	147




SINK COMPONENTS

SINK FRONTS

Available in four sizes . . . 12 models. Depth from top of front panel, 24 $\frac{7}{8}$ ". Depth of floor panel, 21 $\frac{3}{4}$ ". Height to top, 34 $\frac{3}{8}$ ". Two doors, toe kick plate, full width floor panel.


24" and 30" WIDTHS

LSF-24-WC (wood doors, copper front panels), LSF-24-W (wood doors, white front panels), LSF-24 (all white steel) are 24" wide. LSF-30-WC (wood doors, copper front panels), LSF-30-W (wood doors, white front panels), LSF-30 (all white steel) are 30" wide.



36" and 42" WIDTHS

LSF-36-WC (wood doors, copper front panels), LSF-36-W (wood door, white front panels), LSF-36 (all white steel) are 36" wide. LSF-42-WC (wood doors, copper front panels), LSF-42-W (wood door, white front panels), LSF-42 (all white steel) are 42" wide.




SINK BOWLS

Companion pieces to the sink fronts . . . acid and alkali resistant porcelain enamel on steel.


DOUBLE BOWL

LFR-2132 has overall size of 21" x 32". For use with 36" and 42" sink fronts and standard plumbing fixtures (not included).




SINGLE BOWL

LFR-2124 is 21" x 24" overall. For use with 24" and 30" sink fronts and standard plumbing fixtures (not included).



UNDER SINK CABINETS



Available in either deluxe or economy models with features identical to corresponding sink models, except without porcelain sink top and faucet. For ordering, use complete sink model number and add "BC," i.e., LS-6600-BC-WC, etc.



American Kitchens

SPACIOUS

BASE CABINETS. American Kitchens base cabinets match sinks perfectly . . . have toe and knee room, seamless, one-piece drawers. Drawers are 4" deep, 20" front to back, 4" narrower than the cabinet width. One cabinet shelf is removable. Shelf

SINGLE DOOR CABINET



LB-15B (all white steel), LB-15B-W (wood and white drawer front), LB-15B-WC (wood, copper drawer front) are 15" wide. LB-18B (all white steel), LB-18B-W (wood and white), LB-18B-WC (wood and copper) are 18" wide. Door can be hinged on right or left.

DOUBLE DOOR CABINET



Available in 21", 24", 27" and 30" widths. Each size offered in all white steel with respective model numbers; LB-21B, LB-24B, LB-27B, LB-30B . . . with wood doors and white drawer fronts; LB-21B-W, LB-24B-W, LB-27B-W, LB-30B-W . . . with wood doors and copper drawer fronts; LB-21B-WC, LB-24B-WC, LB-27B-WC, LB-30B-WC.

DOUBLE-DOOR, DOUBLE-DRAWER CABINET



LB-36B (all white steel), LB-36B-W (wood doors and white drawer fronts), LB-36B-WC (wood doors and copper drawer fronts) . . . all are 36" wide. This cabinet has two drawers, both 18" wide, one removable shelf.


HANDY PANTRY

LX-150 (all white), LX-150-W (wood grained, white upper panel), LX-150-WC (wood grained, copper upper panel). Utilizes corner space with 3 rotating shelves. Shelf spacing is 7 1/2". Handy Pantry occupies area measuring 27" from corner along each wall.




CORNER UTILITY BIN

LX-140 (all white), LX-140-W (wood grained, white upper panel), LX-140-WC (wood grained, copper upper panel). Corner space under countertop is used with tall, deep, pull out bin. Bin is ventilated . . . wonderful for vegetables. Uses space 27" from corner along both walls.




CORNER BASE PANEL

LCF-2700B (all white), LCF-2700B-W (wood grained, white upper panel), LCF-2700B-WC (wood grained, copper upper panel). This panel is the most economical way of turning a corner, although the space is unused. Space under top . . . 27" from corner on both walls.



CORNER BASE ROUGH-INS

Furring strips for corner base cabinets should be placed so its top is 39 1/2" from floor.



Model	Lineal ft. of shelf space	Number of doors and size	Approx. shipping weight	Model	Lineal ft. of shelf space	Number of doors and size	Approx. shipping weight
LB-12FB	1' 6"	1-12"	25	LB-36B	6' 0"	2-18"	124
LB-12FB-W & WC			24	LB-36B-W & WC			120
LB-15B	2' 6"	1-15"	63	LX-141	*	1-4 3/4"	19
LB-15B-W & WC			61	LX-141-W & WC			
LB-18B	3' 0"	1-18"	65	LX-142	*	1-4 3/4"	23
LB-18B-W & WC			63	LX-142-W & WC			
LB-21B	3' 6"	2-10 1/2"	71	LX-143	*	1-4 3/4"	24
LB-21B-W & WC			69	LX-143-W & WC			
LB-24B	4' 0"	2-12"	78	LX-150	† 2' 5"	1-6"	50
LB-24B-W & WC			75	LX-150-W & WC			
LB-27B	4' 6"	2-13 1/2"	98	LX-140	*	1-4 3/4"	18
LB-27B-W & WC			95	LX-140-W & WC			
LB-30B	5' 0"	2-15"	102	LCF-2700B	0' 0"	0	5
LB-30B-W & WC			99	LCF-2700B-W & WC			

*Bin measures 4 1/2" x 14" x 21"


† Accepted by FHA

CABINETS...LIFETIME COUNTERTOPS

clearance . . . 11½" for bottom shelf, 10" for the top. All base units in your choice of steel . . . wood and steel . . . wood, copper and steel.


COUNTERTOPS. Lifetime countertops of vinyl bonded to steel

. . . in 5 colors and black. To specify color, add following letters to model numbers . . . R-red, Y-yellow, B-blue, GR-green, GRY-gray. Never needs waxing. Resistant to acid, alkali, heat. All tops 25" front to back. Easily cut to any length.




CONTINUOUS CORNER TOPS

LCF-2763T, 27" on left wall, 63" along right when facing corner. LCF-6327T, 63" along left wall, 27" on right. Tops used to cover base corner units and up to 36" of base cabinets without sealers.




CORNER TOPS

LCF-6363T is continuous and measures 63" along both walls. Will cover corner base unit and up to 36" of base cabinets along each wall. LCF-2700T covers only corner base units . . . 27" along each wall.



Model	Length in inches	Sq. ft. of work surface	Equipped with end caps?	Approx. shipping weight
LB-15T	15	2.2	yes	12
LB-18T	18	2.6	yes	16
LB-21T	21	3.0	yes	19
LB-24T	24	3.5	yes	20
LB-27T	27	3.9	yes	23
LB-30T	30	4.4	yes	25
LB-36T	36	5.2	yes	30
LB-48T	48	7.0	no	41
LB-60T	60	8.8	no	51
LB-72T	72	10.4	no	60
LCF-2700T	27x27	4.0	no	25
LCF-2763T	27x63	9.2	no	54
LCF-6327T	63x27	9.2	no	54
LCF-6363T	63x63	14.4	no	98
LX-135	24	3.5	no	29




CONTINUOUS STRAIGHT TOP

LB-48T, LB-60T, LB-72T are continuous straight tops. They are 48", 60" and 72" long respectively. Covering several base cabinets without sealer moldings, these tops may be cut to shorter lengths on the job.


CABINET WIDTH TOPS

LB-15T, LB-18T, LB-21T, LB-24T, LB-27T, LB-30T, and LB-36T are 15", 18", 21", 24", 27", 30", and 36" wide respectively. They are used on corresponding width base cabinets, joined by sealer moldings. LX-135 is 24" hardwood cutting top.


LB-3610B—1", LB-3615B—1½", LB-3620B—2", LB-3625B—2½", LB-3630B—3". Add "W" or "WC" for wood or wood and copper, respectively.



LX-141—6" pull out bin, LX-142—9" pull out bin, LX-143—12" pull out bin, LB-12FB—12" base filler or tray cabinet (tray divider removable). Add "W" or "WC" for wood or wood and copper, respectively.



FILLERS, SEALERS, INSTALLATION ACCESSORIES. To fit every kitchen, fillers are sometimes used. They are available in 1", 1½", 2", 2½", 3", 6", 9", 12" units. They are available in white steel, wood and white (add "W" to model number), or wood and copper (add "WC" to model number). Study the illustration below and order the sealers and installation accessories you'll need.



American Kitchens

ROOMY

All sizes are available with white steel doors or natural select Birch doors to match other Pioneer line units. Installation is quick and easy with either hanger bars or screws through pre-punched holes in back. Shelves are all 11 1/2"



18" HIGH SINGLE-DOOR CABINETS

LW-1818 (all-white steel) and LW-1818-W (steel chassis with natural Birch doors) are 18" high and 18" wide. Two shelves . . . 7 1/2" and 6 3/8" spacing. Door interchangeable for right or left hand hinging.



30" HIGH SINGLE-DOOR CABINETS

LW-1530 (all-white steel) and LW-1530-W (Birch doors) are 15" wide. LW-1830 (all-white steel) and LW-1830-W (wood doors) are 18" wide. Doors interchangeable for right or left hand hinging.



30" HIGH DOUBLE-DOOR CABINETS

In 21", 24", 27", 30", 36" widths. Each size can be obtained in all-white steel with respective model numbers; LW-2130, LW-2430, LW-2730, LW-3030, LW-3630 . . . or with steel chassis and wood doors; LW-2130-W, LW-2430-W, LW-2730-W, LW-3030-W, LW-3630-W.

18", 15" HIGH DOUBLE-DOOR CABINETS

18" high cabinets in 21", 24", 30", 36", 42" widths. Each size available in all-white steel with respective model numbers; LW-2118, LW-2418, LW-3018, LW-3618, LW-4218 . . . or with steel chassis and wood doors; LW-2118-W, LW-2418-W, LW-3018-W, LW-3618-W, LW-4218-W. To use over tall refrigerators, LW-3615 or LW-3615-W . . . 36" wide, 15" high.




UTILITY CABINET

Cabinet is 21" wide, 81" tall, 13 1/4" deep. Available in 2 models, LU-2181, all white; and LU-2181-W with wood doors. Upper section has two shelves (shelf spacing, 7 1/2" top; 6 3/8" bottom). Bottom section has 2 hooks, broom clip, place for mops, ironing board. LX-100, set of 3 accessory shelves, turn cabinet into linen cabinet.


WALL CABINET FILLERS

To fit every kitchen, wall fillers may be used. For 30" high cabinet, LWF-3010—1", LWF-3015—1 1/2", LWF-3020—2", LWF-3025—2 1/2", LWF-3030—3", LCWF-30—far turning corners. For 18" high cabinets, LFW-1810—1", LWF-1815—1 1/2", LWF-1820—2", LWF-1825—2 1/2", LWF-1830—3", LCWF-18—far turning corner. For waad-grained fillers for Pioneer line, add "W" to model number.



SOFFITS

Soffits should be built according to drawing shown at right. If prefer to keep soffit in line with front of corner cabinets, note sketch below. Soffits should be built down to 81" from floor.



WALL CABINETS

deep. Shelf spacing is $7\frac{1}{2}$ ", $6\frac{5}{8}$ ", and 11", top to bottom . . . two shelves in 18" high cabinets, three shelves in 30" high cabinets. Concealed door pulls mean smooth, easy to clean surfaces.





CORNER CABINET

LCW-2730 (white steel) and LCW-2730-W (wood doors) are 30" high and run 27" along both walls. Uses 100% of corner space . . . 8.4 cu. ft. of storage. 12" doors are hinged in the corner.

COMBINATION 18" and 30" HIGH CABINET

LW-5430 (all-white steel) and LW-5430-W (wood doors) is 54" long. End sections are 30" high, 15" wide. Center section is 18" high, 24" wide.




OVER-APPLIANCE CABINET

Used over ranges, etc., LW-4018 (white steel) and LW-4018-W (Birch doors on steel chassis) are 40" wide, 18" high. Space for cook books between doors.

OPEN SHELVING

Open shelving may be ordered specially from the American Kitchens factory. For use between 30" high wall cabinets, use three shelves. For between 18" high cabinets, two shelves are recommended. For details and specifications, contact American Kitchens through your local American Kitchens distributor.




Model	Width and height	Number of doors & size	Lineal ft. of shelves	Approx. shipping weight	Model	Width and height	Number of doors & size	Lineal ft. of shelves	Approx. shipping weight
LW-1530	15"x30"	1-15"	3' 9"	32	LW-2118	21"x18"	2-10 1/2"	3' 6"	28
LW-1530-W				30	LW-2118-W				26
LW-1830	18"x30"	1-18"	4' 6"	35	LW-2418	24"x18"	2-12"	4' 0"	30
LW-1830-W				32	LW-2418-W				28
LW-2130	21"x30"	2-10 1/2"	5' 3"	41	LW-3018	30"x18"	2-15"	5' 0"	36
LW-2130-W				38	LW-3018-W				33
LW-2430	24"x30"	2-12"	6' 0"	44	LW-3618	36"x18"	2-18"	6' 0"	42
LW-2430-W				40	LW-3618-W				39
LW-2730	27"x30"	2-13 1/2"	6' 9"	45	LW-4018	40"x18"	2-18" (plus 4" space)	6' 7"	55
LW-2730-W				41	LW-4018-W				52
LW-3030	30"x30"	2-15"	7' 6"	51	LW-4218	42"x18"	2-2"	7' 0"	49
LW-3030-W				37	LW-4218-W				45
LW-3630	36"x30"	2-18"	9' 0"	61	LW-3615	36"x15"	2-18"	3' 0"	35
LW-3630-W				56	LW-3615-W				32
LW-5430	54"x30"	2-15"x30"	12' 6"	94	LCW-2730	27"x27"x30"	2-12"	10' 6"	80
LW-5430-W		2-12"x18"		88	LCW-2730-W				78
LW-1818	18"x18"	1-18"	3' 0"	25	LU-2181	21"x81"	2-10 1/2"x30"	3' 6"	133
LW-1818-W				24	LU-2181-W		2-10 1/2"x46"	10' 6" (with LX-100)	125

American Kitchens


SPECIALTY ITEMS

FOR EXTRA CONVENIENCE...



BRUNCH BAR

LX-151 consists of LX-227 (top only) and LX-228 (base units). LX-151 or LX-227 available in all top colors (add color designation to model number). LX-151 or LX-228 available in white or wood grain (add "W" to model number). 9.6 sq. ft. work surface. (135 lbs.)



SERV-CART

LX-147 saves steps for serving or clearing table. Stores under countertop. Linoleum liners or order LX-148 vinyl liner kit in all top colors. Add "P" to model for copper tone unit. (33 lbs.)



BASE WHAT-NOT

LX-124A in colors to match countertops. Fits at end of base cabinets. Add "W" to model number for wood-grained unit. (37 lbs.)




WALL WHAT-NOT





LX-123A fits on the end of 30" wall cabinets. 3 glass shelves . . . 8 5/8" deep. Add "W" to model number for wood-grained unit. (13 lbs.)

VENTILATOR FANS KEEP KITCHEN, LAUNDRY OR BATHROOM CLEAN, COOL, ODORLESS!

The powerful American Kitchens Ventilator whisks away cooking odors, hot fumes, grease and smoke-laden air from the range. Walls around the range stay clean . . . dirt-filled air doesn't have a chance to settle. Pulls 230 c.f.m. Motor is 1/40 h.p. and operates on 115 volt, 60 cycle AC power (1.1 amps). Quiet, modern, clean, dependable.




Real flexibility of installation . . . in wall, soffit, ceiling. Cut outside wall hole, 7"-8". Inside, 6 1/2". Outside wall thickness can be 5 3/16"-9 3/16" without fittings. Use 6" stovepipe as duct for inside wall installation.




EFFICIENT

Quickly traps and expels greasy smoke, vapors, odors, directly from the range.



SAFE

Fully-enclosed (motor mounted outside house) eliminates grease fires.



DRAFT-PROOF


Outside housing deflects wind. Automatic damper closes when off.

...ACCESSORIES

FOR ADDED APPEAL

Accessories are the little extras that add so much to the value of the kitchen and the convenience of the housewife . . . yet the cost is almost negligible. Up to 4 accessory drawers can be added to base cabinets without disturbing the contour of cabinet. A bread box, a towel rack, cup shelves, recipe racks, extract racks, a flour sifter, and a condiment step shelf really complete the kitchen. Under-cabinet lights illuminate the counter and work surfaces, yet are hidden from view in special recess of the bottom of the wall cabinets. Designed to be a part of every American Kitchen, accessories are kitchen perfection in small packages.

TOWEL RACK. LX-116 fits in any LS sink. Two bars pull out for easy accessibility. Towels concealed but convenient.




BREAD BOX. LX-110A fits in 15" base cabinet or any LS or ES sink cabinet. Includes removable wire cake shelf. Completely sealed to do double duty of flour bin, bread box.



ACCESSORY DRAWERS. Easily added to base cabinets. Model, widths as follows: LX-103, 15"; LX-104, 18"; LX-105, 21"; LX-106, 24"; LX-107, 27"; LX-108, 30".

RECIPE RACK. LX-139 fits on inside of any cabinet door. Holds standard size index cards and memo pad.




CUP SHELF. LX-112 fits wall cabinets 24" wide or wider. Holds 6 cups away from danger.



UNDER-CABINET LIGHTS. LKL-8A fluorescent light used on 15" and 18" cabinets (8 watt tube). LKL-15A for 21" cabinets and wider (15 watt tube). Appliance outlet in both.




EXTRACT RACK. LX-119 in set of 2 to fit inside of any door. Holds small bottles, cans.




PIONEER CONVERSION END PANELS are used at end of the run of cabinets to cover white cabinet ends. LX-219, 18" wall cabinet; LX-220, 30" wall cabinet; LX-221, right end base cabinet; LX-222, left end base cabinet; LX-223, right end utility cabinet; LX-224, left end utility cabinet; LX-225, right end oven base; LX-226, left end oven base.



CONDIMENT STEP SHELF. LX-114 is movable, can be placed anywhere. Perfect for orderly, accessible condiments.



FLOUR SIFTER. LX-111 fits any wall cabinet. Pulls out for easy accessibility. Keeps flour dry and clean. Fine mesh sifter.



Planning FHA Kitchens with *American Kitchens*

Listed below are the latest FHA requirements for kitchens (MPR Revision No. 48, June 1, 1954), and the most accurate interpretations available. We suggest you check your local FHA office for local interpretations.

Minimum FHA Requirements lineal dimensions

BEDROOMS	1	2	3	4
wall shelving	18' 0"	21' 0"	24' 0"	27' 0"
base cabinets and countertops	6' 0"	7' 0"	7' 6"	8' 0"
drawers	4' 6"	6' 0"	6' 6"	7' 0"



CALCULATION OF LINEAL DIMENSIONS

1. Wall cabinet shelving must be 11" to 12" deep.
2. Base cabinet figures shown above based on at least three 22" to 24" deep shelves to each lineal foot of base cabinet.
3. Drawers considered same width as base cabinet width.
4. One-half of the width of sink fronts may be counted toward base cabinet requirements.
5. A 36" or larger range, or a space for it, may be counted as 1' 3" toward base cabinet requirements.
6. American Kitchens Handy Pantry (LX-150) can be counted as 2' 5" toward base cabinet requirements.

PRECAUTIONS

1. 15" vertical clearance between work surface and bottom of wall cabinet is the median of requirements (follow suggested installation shown herein).
2. Maximum shelf height is 72" (requirement met by American Kitchens as shown herein).
3. Minimum vertical clearance for shelving over a range is 24" (use

American Kitchens 18" cabinet).

4. A dishwasher cabinet or the dishwasher portion of a dishwasher-sink unit may not be counted toward base cabinet requirements.
5. LX-100, accessory shelves, for utility cabinets (or similar arrangement for any other make kitchen) may not be counted as shelving. Only top two shelves of utility cabinet count. (3' 6" lineal feet.)

WALL CABINETS

Model No.	Lineal Ft.
LW-1530	3'-9"
LW-1830	4'-6"
LW-2130	5'-3"
LW-2430	6'-0"
LW-2730	6'-9"
LW-3030	7'-6"
LW-3630	9'-0"
LW-5430	12'-6"
LW-1818	3'-0"
LW-2118	3'-6"
LW-2418	4'-0"
LW-3018	5'-0"
LW-3618	6'-0"
LW-4018	6'-7"
LW-4218	7'-0"
LW-3615	3'-0"
LCW-2730	10'-6"
LU-2181	3'-6"

SINK FRONTS

Model No.	Lineal Ft.
LSF-24	1'-0"
LSF-30	1'-3"
LSF-36	1'-6"
LSF-42	1'-9"

BASE CABINETS

Model No.	Lineal Ft.
LB-15	1'-3"
LB-18	1'-6"
LB-21	1'-9"
LB-24	2'-0"
LB-27	2'-3"
LB-30	2'-6"
LB-36	3'-0"
LX-150	2'-5"

SINKS

Model No.	Base	Drawer
SS-4200	1'-9"	0
ES-4200	2'-4 1/2"	1'-3"
LS-4200	2'-4 1/2"	3'-9"
EST-4800	2'-0"	0
LST-4800	2'-7 1/2"	2'-6"
DW-48AA	1'-0"	0
ES-5400	3'-6"	2'-6"
LS-5400	3'-6"	5'-0"
ES-6600	4'-0"	2'-6"
LS-6600	4'-0"	5'-0"

American Kitchens sets new trends . . .
giving to the homemaker the kitchen she wants. Premium quality without premium price. American Kitchens sell your homes faster. Let your American Kitchens representative give you a price on your next job.

American Kitchens

DIVISION

AVCO
MANUFACTURING CORPORATION

CONNERSVILLE, INDIANA